

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.01.2024

Version number 10 (replaces version 9)

Revision: 26.01.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** 1M LiPF<sub>6</sub> in DMC:EC 1:1 (vol.)

**Article number:** E001

**1.2 Relevant identified uses of the substance or mixture and uses advised against** No other important information available.

- **Sector of Use** SU24 Scientific research and development

- **Product category** PC21 Laboratory chemicals

**Application of the substance / the mixture** This product is intended for the exclusive use of Research and Development.

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

Solvionic SA

11 chemin des Silos

31100 TOULOUSE

FRANCE

☎ : +33 (0)32.26.20.20

✉: contact@solvionic.com

**Further information obtainable from:** Department of Regulatory affairs

#### 1.4 Emergency telephone number:

- United Kingdom: Guy's &amp; St Thomas' Poisons Unit Medical Toxicology Unit, Guy's &amp; St Thomas' Hospital Trust, +44 20 7188 7188.

- Ireland: National Poisons Information Centre Beaumont Hospital, +353 1 809 2566 (Healthcare professionals 24/7), +353 1 809 2166 (public, 8am - 10pm, 7/7).

- France ORFILA (INRS): +33 (0)1.45.42.59.59.

- Belgique, Belgie/Belgium: Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid

Rue Bruyn 1 - 1120 Bruxelles/Brussel. Toutes les questions urgentes concernant une intoxication: 070 245 245 (gratuit, 24/7), si pas accessible 02 264 96 30 (tarif normal). Alle dringende vragen over vergiftiging: 070 245 245 (gratis, 24/7), of indien onbereikbaar tel. 02 264 96 30 (normaal tarief).

- Sverige/ Sweden: Giftinformationscentralen Box 60 500 : 112 – begär Giftinformation, +46 10 456 6700 (Från utlandet)

- Ελλάδα / Greece: Poisons Information Centre Children's Hospital P&amp;A Kyriakou, +30 21 07 79 37 77.

- Italia/Italy: Centro Antiveleni di Roma CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica Università Cattolica del Sacro Cuore, +39 06 305 4343.

- España/ Spain: Servicio de Información Toxicológica Instituto Nacional de Toxicología y Ciencias Forenses, Departamento de Madrid, +34 91 562 04 20 (solo emergencias toxicológicas), Información en español (24h/365 días).

- Nederland/ Netherlands (NVIC): Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen, +31 (0)88 755 8000.

- Norge/ Norway: Giftinformasjon: +47 22 59 13 00.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

STOT RE 1 H372-H373 Causes damage to the bones and the teeth through prolonged or repeated exposure. May cause damage to the kidneys, the bones and the teeth through prolonged or repeated exposure. Route of exposure: Oral.

#### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

##### Hazard pictograms


**Signal word** Danger

##### Hazard-determining components of labelling:

ethylene carbonate

Lithium hexafluorophosphate

##### Hazard statements

H226 Flammable liquid and vapour.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 28.01.2024

Version number 10 (replaces version 9)

Revision: 26.01.2024

**Trade name: 1M LiPF<sub>6</sub> in DMC:EC 1:1 (vol.)**

(Contd. of page 1)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H372-H373 Causes damage to the bones and the teeth through prolonged or repeated exposure. May cause damage to the kidneys, the bones and the teeth through prolonged or repeated exposure. Route of exposure: Oral.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Mixtures****- Description:**

Mixture of substances listed below with nonhazardous additions.

Mixture: consisting of the following components.

**- Dangerous components:**

CAS: 96-49-1	ethylene carbonate	>40–≤60%
EINECS: 202-510-0	STOT RE 2, H373; Acute Tox. 4, H302; Eye Irrit. 2, H319	
CAS: 616-38-6	dimethyl carbonate; CARBONATE ESTER	>25–≤40%
EINECS: 210-478-4	Flam. Liq. 2, H225	
Index number: 607-013-00-6		
CAS: 21324-40-3	Lithium hexafluorophosphate	>10–≤25%
EINECS: 244-334-7	Acute Tox. 3, H301; STOT RE 1, H372; Skin Corr. 1B, H314; Eye Dam. 1, H318	

**- Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****- General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

. **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.. **After skin contact:** Immediately wash with water and soap and rinse thoroughly.. **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.. **After swallowing:**

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

**4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.**4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.**SECTION 5: Firefighting measures****5.1 Extinguishing media**. **Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**5.2 Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.**5.3 Advice for firefighters**. **Protective equipment:** No special measures required.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Use individual protective gear.

**6.2 Environmental precautions:**

Dilute with plenty of water.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 28.01.2024

Version number 10 (replaces version 9)

Revision: 26.01.2024

**Trade name: 1M LiPF<sub>6</sub> in DMC:EC 1:1 (vol.)**

(Contd. of page 2)

Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**. Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

**7.2 Conditions for safe storage, including any incompatibilities** Shelf Life 12 months sealed.**. Storage:****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** Keep container tightly sealed.**Maximum storage temperature:** Store at room temperature, not exceeding 35°C.**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****- Ingredients with limit values that require monitoring at the workplace:****CAS: 21324-40-3 Lithium hexafluorophosphate**

OEL (Sweden)	Short-term value: 0,02 mg/m <sup>3</sup> som Li; inhalerbar fraktion
--------------	---

**. Additional information:** The lists valid during the making were used as basis.**8.2 Exposure controls****Appropriate engineering controls** No further data; see section 7.**Individual protection measures, such as personal protective equipment****. General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

**. Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**Hand protection**

Protective gloves

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Chloroprene rubber (Neopren)

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.01.2024

Version number 10 (replaces version 9)

Revision: 26.01.2024

Trade name: 1M LiPF<sub>6</sub> in DMC:EC 1:1 (vol.)

## Eye/face protection

(Contd. of page 3)



Tightly sealed goggles

. Body protection: Use protective suit.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

## - General Information

Physical state

Liquid

Color:

Colorless to light yellow

. Odor:

Not determined.

. Odor threshold:

Not determined.

. Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling range

90,5 °C (CAS: 616-38-6 dimethyl carbonate)

Flammability

Flammable.

Lower and upper explosion limit

. Lower:

Not determined.

. Upper:

Not determined.

- Flash point:

23–28 °C

. Ignition temperature:

458 °C (CAS: 616-38-6 dimethyl carbonate)

## . Decomposition temperature:

21324-40-3 | Lithium hexafluorophosphate | 175 °C

pH

Not determined

- Conductivity

:

. at 20°C:

10,39 mS/cm

. at 25°C:

11,38 mS/cm

- Viscosity:

Kinematic viscosity

Not determined.

Viscosity at 25 °C (77 °F)

. Dynamic:

Not determined.

Solubility

. water:

Fully miscible.

Partition coefficient n-octanol/water (log value)

Not determined.

- Vapour pressure at 20 °C:

0 hPa (CAS: 96-49-1 ethylene carbonate)

Density and/or relative density

- Density at 20 °C:

1,243 g/cm<sup>3</sup>

. Relative density

Not determined.

. Bulk density:

1,243 kg/m<sup>3</sup>

. Vapour density

Not determined.

### 9.2 Other information

. Appearance:

Form:

Liquid

Important information on protection of health and environment, and on safety.

- Auto-ignition temperature:

Product is not selfigniting.

- Explosive properties:

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

- Solvent content:

. VOC (EC)

39,46 %

. Solids content:

60,5 %

- Change in condition

. Evaporation rate

Not determined.

### Information with regard to physical hazard classes

Explosives

Void

Flammable gases

Void

Aerosols

Void

Oxidising gases

Void

Gases under pressure

Void

Flammable liquids

Flammable liquid and vapour.

Flammable solids

Void

Self-reactive substances and mixtures

Void

Pyrophoric liquids

Void

Pyrophoric solids

Void

Self-heating substances and mixtures

Void

Substances and mixtures, which emit flammable gases in contact with water

Void

Oxidising liquids

Void

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 28.01.2024

Version number 10 (replaces version 9)

Revision: 26.01.2024

**Trade name:** 1M LiPF<sub>6</sub> in DMC:EC 1:1 (vol.)

(Contd. of page 4)

<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** Strong oxidizer and strong acid and base.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Harmful if swallowed.

**LD/LC50 values relevant for classification:**

**ATE (Acute Toxicity Estimates)**

Oral	LD50	1.696 mg/kg (rat)
------	------	-------------------

**CAS: 96-49-1 ethylene carbonate**

Oral	LD50	10.400 mg/kg (rat)
------	------	--------------------

Dermal	LD50	2.000 mg/kg (rat)
--------	------	-------------------

**CAS: 616-38-6 dimethyl carbonate**

Oral	LD50	13.000 mg/kg (rat)
------	------	--------------------

Dermal	LD50	>5.000 mg/kg (rabbit)
--------	------	-----------------------

**CAS: 21324-40-3 Lithium hexafluorophosphate**

Oral	LD50	200 mg/kg (rat)
------	------	-----------------

		300 mg/kg (rabbit)
--	--	--------------------

Dermal	LD50	mg/kg (rat)
--------	------	-------------

		mg/kg (rabbit)
--	--	----------------

**. Skin corrosion/irritation** Causes severe skin burns and eye damage.

**. Serious eye damage/irritation** Causes serious eye damage.

**- Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**. Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**. Carcinogenicity** Based on available data, the classification criteria are not met.

**. Reproductive toxicity** Based on available data, the classification criteria are not met.

**- Specific target organ toxicity - single exposure** Based on available data, the classification criteria are not met.

**- Specific target organ toxicity - repeated exposure**

Causes damage to the bones and the teeth through prolonged or repeated exposure. May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

**- Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

**12.1 Toxicity**

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

(Contd. on page 6)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.01.2024

Version number 10 (replaces version 9)

Revision: 26.01.2024

**Trade name:** 1M LiPF<sub>6</sub> in DMC:EC 1:1 (vol.)

(Contd. of page 5)

**12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.**12.7 Other adverse effects****Additional ecological information:****General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.**European waste catalogue**

HP3	Flammable
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP6	Acute Toxicity
HP8	Corrosive

**Uncleaned packaging:**. **Recommendation:** Disposal must be made according to official regulations.. **Recommended cleansing agents:** Water, if necessary together with cleansing agents.**SECTION 14: Transport information****14.1 UN number or ID number**

ADR/RID/ADN, IMDG, IATA

UN2920

**14.2 UN proper shipping name**

ADR/RID/ADN

UN2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (LITHIUM SALT, DIMETHYL CARBONATE)

IMDG, IATA

CORROSIVE LIQUID, FLAMMABLE, N.O.S. (LITHIUM SALT, DIMETHYL CARBONATE)

**14.3 Transport hazard class(es)**

ADR/RID/ADN



Class

8

Label

8+3

IMDG



Class

8

Label

8/3

IATA



Class

8

Label

8 (3)

**14.4 Packing group**

ADR/RID/ADN, IMDG, IATA

II

**14.5 Environmental hazards:**

Not applicable.

**14.6 Special precautions for user**

Hazard identification number (Kemler code):

Warning: Corrosive substances.

EMS Number:

83

Stowage Category

F-E,S-C

C

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 28.01.2024

Version number 10 (replaces version 9)

Revision: 26.01.2024

**Trade name: 1M LiPF<sub>6</sub> in DMC:EC 1:1 (vol.)**

(Contd. of page 6)

<b>Stowage Code</b>	SW1 Protected from sources of heat. SW2 Clear of living quarters.
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>Transport/Additional information:</b>	
<b>ADR/RID/ADN</b>	
<b>Limited quantities (LQ)</b>	1L
<b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<b>Transport category</b>	2
<b>Tunnel restriction code</b>	D/E
<b>IMDG</b>	
<b>Limited quantities (LQ)</b>	1L
<b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<b>UN "Model Regulation":</b>	UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (LITHIUM SALT, DIMETHYL CARBONATE), 8 (3), II

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**



**Signal word** Danger

**Hazard-determining components of labelling:**

ethylene carbonate

Lithium hexafluorophosphate

**Hazard statements**

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H372-H373 Causes damage to the bones and the teeth through prolonged or repeated exposure. May cause damage to the kidneys, the bones and the teeth through prolonged or repeated exposure. Route of exposure: Oral.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**Seveso category** P5c FLAMMABLE LIQUIDS

**Qualifying quantity (tonnes) for the application of lower-tier requirements** 5.000 t

**Qualifying quantity (tonnes) for the application of upper-tier requirements** 50.000 t

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148**

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

(Contd. on page 8)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 28.01.2024

Version number 10 (replaces version 9)

Revision: 26.01.2024

**Trade name: 1M LiPF<sub>6</sub> in DMC:EC 1:1 (vol.)**

(Contd. of page 7)

**15.2 Chemical safety assessment:**

For this product, no chemical safety assessment has been performed.  
A Chemical Safety Assessment has been carried out.

**SECTION 16: Other information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

For research and development use only.

**Relevant phrases**

H225 Highly flammable liquid and vapour.  
H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H373 May cause damage to organs through prolonged or repeated exposure.

**Department issuing SDS:** Regulatory affairs department

**Contact:**

Email: hse@solvionic.com

Phone number: +33 (0)5.34.63.35.35

**Date of previous version:** 13.11.2023

**Version number of previous version:** 9

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods (Código Marítimo Internacional de Mercancías Peligrosas).  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
ATE: Acute toxicity estimate values  
Flam. Liq. 2: Flammable liquids – Category 2  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 3: Acute toxicity – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

UE

(Contd. on page 9)



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.01.2024

Version number 10 (replaces version 9)

Revision: 26.01.2024

Trade name: 1M LiPF<sub>6</sub> in DMC:EC 1:1 (vol.)

(Contd. of page 8)

## Annex: Exposure scenario

### Short title of the exposure scenario

Sector of Use SU24 Scientific research and development

Product category PC21 Laboratory chemicals

**Description of the activities / processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.

### Conditions of use

**Duration and frequency** 5 workdays/week.

### Physical parameters

**Physical state** Liquid**Concentration of the substance in the mixture** The substance is main component.**Used amount per time or activity** Smaller than 100 g per application.

### Other operational conditions

**Other operational conditions affecting environmental exposure** No special measures required.**Other operational conditions affecting worker exposure**

Avoid contact with eyes.

Avoid contact with the skin.

Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

**Other operational conditions affecting consumer exposure** No special measures required.**Other operational conditions affecting consumer exposure during the use of the product** Not applicable.

### Risk management measures

#### Worker protection

**Organisational protective measures** No special measures required.

#### Technical protective measures

Provide explosion-proof electrical equipment.

Ensure that suitable extractors are available on processing machines

#### Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Tightly sealed goggles

Protective gloves

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.

**Measures for consumer protection** Ensure adequate labelling.

#### Environmental protection measures

**Water** Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.**Disposal measures** Ensure that waste is collected and contained.**Disposal procedures** Must not be disposed together with household garbage. Do not allow product to reach sewage system.**Waste type** Partially emptied and uncleaned packaging

### Exposure estimation

**Consumer** Not relevant for this Exposure Scenario.**Guidance for downstream users** No further relevant information available.

UE